

AMBOISE LUX MATT RECT 60X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A035775 60x120 9,10 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality UNE-EN 14411 It accomplished all requeriments

PH	YSICAL PROPERTIES	
•		
Water absorption capacity	EN ISO 10545-03	< 0,5%
Flexion resistance	EN ISO 10545-04	=> 44 N/mm ²
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	III
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL PROPERTIES		
Resistance to acids	EN ISO 10545-13	GLA
Resistance to alcalis	EN ISO 10545-13	GHA
Resistance to cleaning products	EN ISO 10545-13	GA
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5









DECOR CATEDRA LUX MATT 60X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A036538 60x120 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









ROD. AMBOISE LUX MATT 7,5X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A038288 7,5x60 9,70 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality

UNE-EN 14411

0.00

PHYSICAL PROPERTIES		
Water absorption capacity	EN ISO 10545-03	0.00
Flexion resistance	EN ISO 10545-04	0.00^{2}
Thermal shock resistance	EN ISO 10545-09	0.00
Cracking resistance	EN ISO 10545-11	0.00
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL PROPERTIES			
Resistance to acids	EN ISO 10545-13	0.00	
Resistance to alcalis	EN ISO 10545-13	0.00	
Resistance to cleaning products	EN ISO 10545-13	0.00	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	0.00	
Stains resistance	EN ISO 10545-14	0.00	









AMBOISE LUX POL RECT 60X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A035776 60x120 9,80 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality

UNE-EN 14411

It accomplished all requeriments

PHYSICAL PROPERTIES		
Water absorption capacity	EN ISO 10545-03	< 0,5%
Flexion resistance	EN ISO 10545-04	$=> 44 \text{ N/mm}^2$
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	III
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL PROPERTIES		
Resistance to acids	EN ISO 10545-13	GLA
Resistance to alcalis	EN ISO 10545-13	GHB
Resistance to cleaning products	EN ISO 10545-13	GA
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5









ROD. AMBOISE LUX POL 7,5X60

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A038287 7,5x60 9,60 PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality

UNE-EN 14411

0.00

PHYSICAL PROPERTIES		
Water absorption capacity	EN ISO 10545-03	0.00
Flexion resistance	EN ISO 10545-04	0.00^{2}
Thermal shock resistance	EN ISO 10545-09	0.00
Cracking resistance	EN ISO 10545-11	0.00
Frost resistance	EN ISO 10545-12	It stands the test

CHEMICAL PROPERTIES			
Resistance to acids	EN ISO 10545-13	0.00	
Resistance to alcalis	EN ISO 10545-13	0.00	
Resistance to cleaning products	EN ISO 10545-13	0.00	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	0.00	
Stains resistance	EN ISO 10545-14	0.00	










LAVABO DE PIE ROMA

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040867 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO NISO DCHA.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040866 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO NISO IZQ.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040865 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO AXEL CEN.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040870 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO AXEL DCHA.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040869 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO AXEL IZQ.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040868 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO AXEL DOBLE 160

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040871 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO ENEA CEN.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040874 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO ENEA DCHA.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040873 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO ENEA IZQ.

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040872 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










LAVABO ENEA DOBLE 160

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040875 0,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test





