

ARABESCATO CORCHIA POL RECT

120X278

REFERENCE

A040162

SIZE (cm)

120x278

6,40

THICKNESS (mm)

GROUP PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES


EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES











ARABESCATO CORCHIA HONED

RECT 120X278

REFERENCE

A040163

SIZE (cm)

120x278

THICKNESS (mm) 6,40

GROUP PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES











ARABESCATO CORCHIA MATT RECT

120X120

 REFERENCE
 SIZE (cm)
 THICKNESS (mm)

 A040474
 120X120
 8,80



DIMENSIONS AND SURFACE PROPERTIES			
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requeriments	
PHYSICAL F	PROPERTIES		
Flexion resistance	EN ISO 10545-04	=> 35 N/mm ²	
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV	
Thermal shock resistance	EN ISO 10545-09	It stands the test	
Cracking resistance	EN ISO 10545-11	It stands the test	
Frost resistance	EN ISO 10545-12	It stands the test	
CHEMICAL	PROPERTIES		
UNEWIOAL I			
Resistance to acids	EN ISO 10545-13	GHB	
Resistance to alcalis	EN ISO 10545-13	GHB	
Resistance to cleaning products	EN ISO 10545-13	GHB	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GHB	
Stains resistance	EN ISO 10545-14	5	

GROUP

PC BIA GL







ARABESCATO CORCHIA POL RECT

120X120

 REFERENCE
 SIZE (cm)
 THICKNESS (mm)
 GROUP

 A040473
 120X120
 8,90
 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES			
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requeriments	
PHYSICAL	PROPERTIES		
Flexion resistance	EN ISO 10545-04	=> 35 N/mm ²	
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV	
Thermal shock resistance	EN ISO 10545-09	It stands the test	
Cracking resistance	EN ISO 10545-11	It stands the test	
Frost resistance	EN ISO 10545-12	It stands the test	
CHEMICAL	PROPERTIES		
Resistance to acids	EN ISO 10545-13	GHB	
Resistance to alcalis	EN ISO 10545-13	GHB	
Resistance to cleaning products	EN ISO 10545-13	GHB	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GHB	
Stains resistance	EN ISO 10545-14	5	







ARABESCATO CORCHIA MATT RECT

9,20

60X120

REFERENCE SIZE (cm) A040200

60x120

THICKNESS (mm) GROUP PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES			
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requeriments	
PHYSICA	L PROPERTIES		
Water absorption capacity	EN ISO 10545-03	< 0,5%	
Flexion resistance	EN ISO 10545-04	=> 35 N/mm ²	
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV	
Thermal shock resistance	EN ISO 10545-09	It stands the test	
Cracking resistance	EN ISO 10545-11	It stands the test	
Frost resistance	EN ISO 10545-12	It stands the test	
CHEMICA	L PROPERTIES		
Resistance to acids	EN ISO 10545-13	GHB	
Resistance to alcalis	EN ISO 10545-13	GHB	
Resistance to cleaning products	EN ISO 10545-13	GHB	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GHB	
Stains resistance	EN ISO 10545-14	5	

ANTI-SLIP CHARACTERISTICS

Slip resistance (Rd)

UNE-EN 16165-C

0.00







ARABESCATO CORCHIA POL RECT

9,30

60X120

REFERENCE SIZE (cm) A040198 60x120

THICKNESS (mm) GROUP PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES			
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requeriments	
PHYSICAI	L PROPERTIES		
Flexion resistance	EN ISO 10545-04	=> 35 N/mm ²	
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV	
Thermal shock resistance	EN ISO 10545-09	It stands the test	
Cracking resistance	EN ISO 10545-11	It stands the test	
Frost resistance	EN ISO 10545-12	It stands the test	
CHEMICA	L PROPERTIES		
Resistance to acids	EN ISO 10545-13	GHB	
Resistance to alcalis	EN ISO 10545-13	GHB	
Resistance to cleaning products	EN ISO 10545-13	GHB	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GHB	
Stains resistance	EN ISO 10545-14	5	







SPEKTRA MATT RECT 60X120

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040475	60x120	9,10	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES				
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requeriments		
PHISICAL	PROPERTIES			
Water absorption capacity	EN ISO 10545-03	< 0,5%		
Flexion resistance	EN ISO 10545-04	=> 35 N/mm ²		
Thermal shock resistance	EN ISO 10545-09	It stands the test		
Cracking resistance	EN ISO 10545-11	It stands the test		
Frost resistance	EN ISO 10545-12	It stands the test		
CHEMICAL PROPERTIES				
Resistance to acids	EN ISO 10545-13	GHB		
Resistance to alcalis	EN ISO 10545-13	GHB		
Resistance to cleaning products	EN ISO 10545-13	GHB		
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GHB		
Stains resistance	EN ISO 10545-14	5		







ARABESCATO GREEN MATT RECT

9,00

60X120

REFERENCE SIZE (cm) A041142

60x120

THICKNESS (mm) GROUP PC BIA GL



DIMENSIONS AND	SURFACE PROPERTIES	
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requeriments
PHYSICA	L PROPERTIES	
Flexion resistance	EN ISO 10545-04	=> 35 N/mm ²
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	It stands the test
CHEMICA	L PROPERTIES	
Resistance to acids	EN ISO 10545-13	GHB
Resistance to alcalis	EN ISO 10545-13	GHB
Resistance to cleaning products	EN ISO 10545-13	GHB
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GHB
Stains resistance	EN ISO 10545-14	5





This document is commercial, with an informative nature relative to tested pieces. It cannot be used in legal or administrative proceedings, nor as an expert opinion or documentary proof. Images are not contractual.



ARABESCATO GREEN POL RECT

60X120

REFERENCE SIZE (cm) A041141 60x120

THICKNESS (mm) 9,10

GROUP PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES			
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requeriments	
DUNGIOA			
PHYSICA	L PROPERTIES		
Flexion resistance	EN ISO 10545-04	=> 35 N/mm ²	
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV	
Thermal shock resistance	EN ISO 10545-09	It stands the test	
Cracking resistance	EN ISO 10545-11	It stands the test	
Frost resistance	EN ISO 10545-12	It stands the test	
CHEMICA	L PROPERTIES		
Resistance to acids	EN ISO 10545-13	GHB	
Resistance to alcalis	EN ISO 10545-13	GHB	
Resistance to cleaning products	EN ISO 10545-13	GHB	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GHB	
Stains resistance	EN ISO 10545-14	5	






This document is commercial, with an informative nature relative to tested pieces. It cannot be used in legal or administrative proceedings, nor as an expert opinion or documentary proof. Images are not contractual.



XENIA MATT RECT 60X120

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A041633	60x120	9,50	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES			
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requeriments	
PHYSICAL	PROPERTIES		
Flexion resistance	EN ISO 10545-04	=> 35 N/mm ²	
Abrasion resistance (glazed Ceramic)	EN ISO10545-07	IV	
Thermal shock resistance	EN ISO 10545-09	It stands the test	
Cracking resistance	EN ISO 10545-11	It stands the test	
Frost resistance	EN ISO 10545-12	It stands the test	
CHEMICAL	PROPERTIES		
Resistance to acids	EN ISO 10545-13	GHB	
Resistance to alcalis	EN ISO 10545-13	GHB	
Resistance to cleaning products	EN ISO 10545-13	GHB	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GHB	
Stains resistance	EN ISO 10545-14	5	







CLOVER GREEN MATT RECT 60X120

9,60

REFERENCE	
A041145	

SIZE (cm) 60x120

THICKNESS (mm) GROUP PC BIA GL

DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES








LAVABO NISO IZQ.

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040865		0,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance

EN ISO 10545-12

It stands the test








LAVABO NISO DCHA.

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040866		0,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES







LAVABO DE PIE ROMA

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP	
A040867		0,00	PC BIA GL	

DIMENSIONS AND SURFACE PROPERTIES


PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES








LAVABO AXEL IZQ.

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040868		0,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES






Erropt -----



LAVABO AXEL DCHA.

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040869		0,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

It stands the test

CHEMICAL PROPERTIES





Fuent un sinter en

Frost resistance


EN ISO 10545-12

I



LAVABO AXEL CEN.

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040870		0,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES





Eroot register as




LAVABO AXEL DOBLE 160

SIZE (cm)

REFERENCE

0,00

THICKNESS (mm)GROUP0,00PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES


PHYSICAL PROPERTIES

Frost resistance

EN ISO 10545-12

It stands the test








LAVABO ENEA IZQ.

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040872		0,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance

EN ISO 10545-12

It stands the test








LAVABO ENEA DCHA.

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040873		0,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

EN ISO 10545-12

It stands the test

CHEMICAL PROPERTIES








LAVABO ENEA CEN.

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
A040874		0,00	PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance

EN ISO 10545-12

It stands the test








LAVABO ENEA DOBLE 160

SIZE (cm)

REFERENCE

0,00

THICKNESS (mm)GROUP0,00PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance

EN ISO 10545-12

It stands the test



