

BRECCIA VIOLA POL RECT 120X278

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A041057 120x278 6,50 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









BRECCIA VIOLA POL RECT 60X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040956 60x120 9,20 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









BRECCIA VIRIDI POL RECT 120X278

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A041058 120x278 6,50 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test










BRECCIA VIRIDI POL RECT 60X120

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

A040954 60x120 9,00 PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12 It stands the test









BRECCIA VIRIDI HONED RECT 60X120

REFERENCE

SIZE (cm)

THICKNESS (mm)

8,90

GROUP

A040972

60x120

PC BIA GL



DIMENSIONS AND SURFACE PROPERTIES

PHYSICAL PROPERTIES

Frost resistance EN ISO 10545-12

It stands the test





